



EUROPEAN
SPALLATION
SOURCE

Sample and User Laboratory Facility Update

Katrin Michel, Melissa Sharp, Monika Hartl

European Spallation Source ERIC

Date

STAP: Users & Samples, Lund, April 2nd, 2019


- Update:
 - Personnel + Projects
 - Budget
- preparation for installation of on-site labs,
- fit-out and move to site
- Equipment/chemicals – operations in MV

SULF— what do we cover during construction/**initial operations**/**operations**?

 **ESS-Labs:** Preparation for installation of on-site labs, fitout, move to site, equipment+ lab drawings, safety, operations

 **Medicon Village Labs:** operations, commissioning of equipment, training of users, ordering/waste removal...

 **Safety:** establish/extend rules®ulations for lab, obtain licenses to work with chemicals/equipment (X-ray), chemical inventory,...







 **CF-Interface:** Design Reviews, change requests, hand-over review meetings, utilities & gases, HVAC (chemical/conventional)

 **Collaborations (internal/external):** support for Science, Target, Accelerator; support for local neutron users/local industry; grants

 **SSM:** Participation in application to the Swedish Radiation Safety Authorities from NSS-side (Accident analysis, core team meetings)



SULF team: who, what how ?

-  ESS labs
-  MV labs
-  Safety
-  CF Interface
-  Collaborations
-  SSM

- Katrin Michel – laboratory technician (**100% SULF**)



Soft matter (bio), nanomaterials, microscopy

- Melissa Sharp – laboratory scientist (**50% SULF**, 50% CF Interaction)



soft matter (polymers), small angle/light scattering

- Monika Hartl – laboratory scientist/GL (**70% SULF**, 20% SSM, 0-10% VESPA)




chemistry, spectroscopy, analytical chem, diffract.

- Future: laboratory technician FLUCO (50% FLUCO, **50% SULF**) Q3/2019




spectroscopy, electrochem.



+3.5 laboratory technicians (1x radiol. Chemistry, 1.5x chemistry, 1x soft matter/bio)

Remaining Budget for Construction



- Money left for equipment: 30k€ (soft matter, e.g. Light scattering, Fluorescence spectrometer)

Preparation for installation of on-site laboratories



SULF will be busy during preparation for installation of on-site labs (now), laboratory fitout (starting Jan. 2020) and move to site (mid 2020):


2019

- Installation preparation meetings with Sanber, CF and SKANSKA
- Installation binder for laboratory fitout (see Antonio's talk)
- Procurement/sole source justification for installation of all labs (and SE workshops)
- Instrument interactions (chemical/containment ventilation and instrument specific labs)

2020

- Coordination/supervision during fit-out (together with NSS integration engineer)
- Logistics organization (together with NSS integration engineer)
- Organization of move from MV to ESS site
- Setup of chemistry labs

In-kind STFC laboratories to be fitted out



Due to the VAT problem: the in-kind will include the furniture Procurement from Kötterman (no VAT for procurement) while we will pay for installation (no VAT for ESS) from Sanber (current consultant for labs)

E04: level 100

Large LS&SCM laboratory with appliance room and fridge/freezer room (4 FC, 2 extraction points)

Physical Characterization with cutting & polishing lab

E04: level 110

Large Chemistry Laboratory (4 FC, 4 extraction points)

D04: level 100/110

Large chemistry laboratory with appliance room, instrument room and fridge/freezer room (5 FC, 4 extraction points)


D08:

Radiological Materials Laboratory (4 FC)

Change-request to Technical Annex: As installation is removed from in-kind to ESS, we can fit-out one more lab

3 Labs in E04

+ installation X-ray lab



1 Lab in D04

+ 2nd large lab in D04

Radioactive Materials Lab D08

Labs not fitted out:

D07:

- large chemistry laboratory with appliance room and fridge/freezer room
- SAXS lab

D08:


- large laboratory with appliance and instrument room
- furnace room
- glass blowing lab
- thin film preparation

BUT all drawings exist and plans are made

Principle of large lab fit-out

Same layout:

- fume hoods on walls with chemical storage underneath
- overhead extraction for some of the middle benches
- dishwasher/ice machine
- weighing table (granite)
- eye wash
- emergency showers



E04 – what we will fit out first

- Jan.-May 2019: final design review of drawings between STFC (in-kind)/ESS and Sanber
 - Good news –enough money out of lab consulting phase left to keep Marek Jura involved as support in ESS lab fitout
- June-December 2019: Installation preparation
 - Installation meetings with SKANSKA/CF services and NSS installation engineer to prepare,
 - measuring of “as-built” components vs. “for construction” drawings
 - Training and site access permission, logistics/storage issues
- January- April 2020: Lab fit-out in E04
- June 2020: sample environment lab fitout and potentially other labs for technical groups. SULF supports and coordinates.

- 2021: Fit-out of Radiological Materials Lab (partial access) and D04 labs

SULF strategy for procurement of large equipment

* equipment owned by other groups



**Procurement of equipment is tailored to the first three instruments and with view of the next five
= cover basics of soft matter, material science and general chemistry**

- Large scale equipment (procured or in process): **LOKI, DREAM (ODIN), Target Division (TD) and Accelerator Division (AD), Science Directorate (SD) support**
 - Spectroscopy: RAMAN+CCR(10K)*, UV/VIS, FT-IR+ATR - identification of organics, isotope shift (D/H,¹⁰B/¹¹B), quantification of materials in solution
 - Thermal Analysis: DTA/DSC - water content, phase transitions, glass transitions, decomposition
 - BET surface area analysis: surface area, adsorption measurements
 - Gas pycnometer: density of solid materials/powders
 - X-ray: single crystal (used) - crystal check (not for macrocrystals! Cu/Mo X-ray tube), crystal structure
 - XRF (used) - elemental analysis
 - Autolab/Metrohm Potentiostat and cell – cyclovoltammetry/potentiostatic voltammetry, redox processes, oxidation states -> **collaboration with FLUCO (impedance spectroscopy) and project to use in-situ on instruments**
 - Optical Microscopes (1x regular, 1x metallurgical with micro-indenter, used)
 - Scanning Electron Microscope (SEM/EDX)*
 - Benchtop glove box



SULF strategy for procurement of chemicals

WHY? Our colleagues are starting to come to us for support – we have to establish that they can get fast, efficient support for basic needs in-house rather than having to go outside

- We started to procure a set of basic chemicals – to be able to perform basic synthesis and analytical chemistry
 - common inorganic salts so we have a lot of the common “elements” available in form of a salt
 - some elements (I_2 , Na, Mg, graphite,...), ozone generator (O_3)
 - basic organic solid compounds (solid acids, urea, amino acids, acetates,...) and reagents ($LiAlH_4$, NaH, Grignard,...)
 - acid/bases
 - common solvents (alcohols, alkanes, ethers, CH_xCl_{4-x} , ..) and some other more rarely used ones (benzene, acetonitrile,..)
 - some common analytical reagents, indicators and dyes

Chemical Inventory system - Klara

- Chemical inventory system has been chosen: KLARA (used in research facilities in Sweden, e.g. MaxIV, Lund University)
- Status: about to go online, training within the next 1-2 months
- Setup:
 - several administrators for adding/removing users
 - several super-users (enter chemicals, remove chemicals) – SULF will be part of that (DEMAX as well)
 - general users (can read MSDS sheets, can find chemicals and location of chemicals)

	A	B	C	D	E	F	G	H
	SURF Chemical List		Amount (usually) present in lab					
	Chemical name	Formula		CAS	purity	manufact	price	Aldrich # product number
1								
41								
42	bases and salts of bases							
43	Ammonium hydroxide	NH4OH	500mL	1336-21-6	ACS reagent	Sigma		320145-500ML
44	potassium hydroxide	KOH	1kg	1310-58-3	for analysis	Merck		1.05029.1000 (Merck)
45	potassium hydroxide	KOH	500g	1310-58-3		85% Aldrich		221473-500G
46	sodium hydroxide	NaOH	500g	1310-73-2	>=98%	Sigma		55881-500G
47	sodium hydroxide	NaOH	1kg	1310-73-2	>=98%	Aldrich		71690-1KG
48	diethylamine	(C2H5)2NH	500 mL	109-89-7	>=99.5%	Sigma		471216-500ML
49	triethylamine	(C2H5)3N	500mL	121-44-8	>=99%	Aldrich		T0886-500ML
50	hydrazine monohydrate	N2H4*1H2O	100 g	7803-57-8	reagent grade 98%	Sigma		207942-100G
						Aldrich		
						Sigma		

SULF's current chemicals inventory in Excel

SULF strategy for procurement of small scale laboratory equipment

- Small scale laboratory equipment
 - centrifuges (micro, macro) – procure one more macro (100 ml, 14k RPM, cooling)
 - tip sonicator, sample concentrator – procure US bath and water bath
 - orbital shaker – procure one more shaker (roll shaker)
 - rotary evaporator – procure more evaporators
 - 2x pH meter, 2x conductivity meter – procure oxygen meter
 - muffle furnace, tube furnace, vacuum oven – procure drying oven, small turnable tube furnace (horiz./vert.)
 - Vacuum pumps (3 small + 2 large)
 - Scales (microscale, analytical scale, lab scale)
- “Consumables”
 - Eppendorf micropipettes (manual and electric, 0.5 ul – 5 ml), glass pipettes (1-50 ml)
 - 2x burettes, columns, glassware
 - Schlenk-line, sample prep for BET
 - heating mantles/heating tape + regulators


SULF strategy for procurement of small scale laboratory equipment

- Small scale laboratory equipment
 - centrifuges (micro, macro) – procure one more macro (100 ml, 14k RPM, cooling)
 - tip sonicator, sample concentrator – procure US bath and water bath
 - orbital shaker – procure one more shaker (roll shaker)
 - rotary evaporator – procure more evaporators
 - 2x pH meter, 2x conductivity meter – procure oxygen meter
 - muffle furnace, tube furnace, vacuum oven – procure drying oven, small turnable tube furnace (horiz./vert.)
 - Vacuum pumps (3 small + 2 large)
 - Scales (microscale, analytical scale, lab scale)
- “Consumables”
 - Eppendorf micropipettes (manual and electric, 0.5 ul – 5 ml), glass pipettes (1-50 ml)
 - 2x burettes, columns, glassware
 - Schlenk-line, sample prep for BET
 - heating mantles/heating tape + regulators

How we prepare for on-site operations

Confluences pages in preparation for operation:

- List of equipment with manuals and quick guides
- SULF tasklists for communication
- Utgård glassware storage established
- Consumables procured and kept as stock in Utgard (pipettes, sample vials, ...)
- Due to projects we are involved in, we are procuring lots of small equipment, essential but often forgotten.



Management Accelerator Target ICS Science CF Safety & Quality Support

Scientific Activities Division

SPACE SHORTCUTS


- Scientific Projects Division
- File lists
- Shared links
- How-to articles

Pages / ... / Labware

Muffle Furnace


Created by Katrin Michel, last modified on Aug 16, 2018

Nabertherm L3/11, max. temp 1100°C




Quick Guide:

Quick Start Guide



Full Manual:

Operating instructions



Thank you for your attention



SULF Team winter 2018




Kick-Off Labs Feb 2019





Additional slides in case of interest in fitout details

Location of current Labs procured in tender



- E04.100.2021(22,23)
 - Large Chemistry lab with appliance room and fridge/freezer room
 - 4 F/C, 2 Extract points
- E04.100.2032(35)
 - Physical Characterisation lab with cutting & polishing room
 - 3 F/C, 6 Extract points
- E04.110.2021
 - Large Chemistry lab
 - 4 F/C , 4 Extract points


E04.100.2022&2023




- Utilities (red box):**
- DI water, cooling water, N₂, Ar, vacuum and comp air on benches every 2 m
 - 6-16 A single phase outlets (230 V/data) and 2x IT ethernet ports every 2m on walls

- Utilities (red box):**
- 6-16 A single phase outlets (230V)

E04.100.2032




E04.100.2034



Utilities (red box):


- vacuum, DI water, cooling water, N₂, Ar, vacuum and comp air on benches every 2 m
- 6-16 A single phase outlets (230 V/data) and 2x IT ethernet ports every 2m on walls

E04.110.2021



- **D08.100.5027**
 - Radioactive Materials Lab
 - 4 F/C
- **D04.100.2027(23,24,25)**
 - Large Chemistry lab with appliance room, instrument room & fridge/freezer room
 - 5 F/C, 4 Extract points

D08.100.5027



D04.100.2023(24&25)

